

It's in the details.

JOST

MINERAL GUIDE



Reference Guide to Jost Mineral Compounds

Jost Chemical Co. manufactures a line of mineral compounds that are used in the nutritional supplement, pharmaceutical, food and precision industrial markets. This reference guide highlights several key points to consider when formulating a product: **Solubility, Metal Content** and **Taste**.

The minerals discussed in the guide include Ca, Cu, Fe, Mg, Mn and Zn. K and Na salts are included in the guide for completeness. Additional factors that play a role in mineral selection are referenced at end of the guide.

Generally, the mineral salts in each chart are arranged by descending solubility and increasing metal content.

Jost manufactures all products mentioned in this guide under bulk pharmaceutical cGMP guidelines in our FDA registered facilities in St. Louis, MO. Our products are Kosher/HALAL certified, non-GMO, non-allergenic, BSE/TSE free, and free of residual solvents.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366
Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57
www.jostchemical.com

Calcium

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Calcium Lactate Anhydrous	3.1 ⁰ -7.9 ³⁰	18.0-18.6	Exothermic, Sharp
Calcium Gluconate Anhydrous	3-20 ¹⁰⁰	8.9-9.5	Neutral
Calcium Fumarate Anhydrous	2	23.0-29.9	Neutral
Calcium Malate Anhydrous	0.8 ⁰ -1.2 ^{37.5}	20.0-23.5	Slightly Salty
Calcium Hydroxide	0.185 ⁰ -0.077 ¹⁰⁰	51.6-54.7	Biting
Calcium Citrate Tetrahydrate	0.10	20.5-21.2	Neutral
Calcium Phosphate Tribasic Anhydrous (TCP)	0.002	34.0-40.0	Neutral
Calcium Succinate Monohydrate	0.004	22.0-25.0	Salty, Strong Aftertaste
Calcium Carbonate Anhydrous	0.0014	39.4-40.5	Neutral

1. Generally arranged by descending solubility and increasing metal content.
2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.
3. CRC Handbook and Merck Index are the main sources of this information.
4. Taste profiles developed by Jost personnel and are subjective.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Copper

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Copper Sulfate Pentahydrate	31.6 ⁰ -203.3 ¹⁰⁰	24.9-26.8	Sharp, Bitter
Copper Sulfate Anhydrous	14.3-75.4 ¹⁰⁰	39.2-40.0	Sharp, Bitter
Copper Gluconate Anhydrous	30	13.7-14.3	Mild, Sweet
Copper Citrate Hemi-Trihydrate	Insoluble	36.0-37.8	Mild
Copper Oxide Anhydrous	Insoluble	78.7-80.7	Mild

1. Generally arranged by descending solubility and increasing metal content.
2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.
3. CRC Handbook and Merck Index are the main sources of this information.
4. Taste profiles developed by Jost personnel and are subjective.



JOST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366
Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57
www.jostchemical.com

Iron

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Ferrous Gluconate Dihydrate	Soluble	USP 10.9-11.9 EP 11.8-12.5	Salty, Bitter
Ferrous Lactate Dihydrate	2-8.5 ¹⁰⁰	20.1-20.8	Mild
Ferrous Fumarate Anhydrous	0.14	30.3-33.2	Neutral
Ferrous Citrate Dibasic Monohydrate	Insoluble	20.0-22.0	Mild
Ferric Citrate x-Hydrate	Insoluble	16.5-20.0	Mild
Ferric Ammonium Citrate Brown	Very Soluble	16.5-18.5	Strong
Ferrous Ammonium Sulfate Hexahydrate	20-34.2 ⁷⁰	13.5-14.2	Strong

1. Generally arranged by descending solubility and increasing metal content.

2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.

3. CRC Handbook and Merck Index are the main sources of this information.

4. Taste profiles developed by Jost personnel and are subjective.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Magnesium

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Magnesium Aspartate Monobasic Dihydrate	70	7.1-7.7	Metallic
Magnesium Citrate Dibasic Pentahydrate	18	7.5-8.5	Neutral
Magnesium Citrate Tribasic Anhydrous	15	14.5-16.4	Neutral
Magnesium Citrate Tribasic x-Hydrate	18	11.2-12.0	Neutral
Magnesium Gluconate Hydrate⁵	8	5.7-6.0	Slightly Tart
Magnesium Lactate Anhydrous⁶	3.5	11.8-12.2	Mild, Sweet, Slightly Spicy
Magnesium Lactate Dihydrate	3.3-16.7 ¹⁰⁰	10.0-10.4	Mild, Sweet, Slightly Spicy
Magnesium Malate Trihydrate	2	11.3-11.8	Neutral
Magnesium Phosphate Dibasic Trihydrate	Slightly Soluble	13.4-14.0	Neutral
Magnesium Phosphate Tribasic Pentahydrate	Insoluble	20.2-20.9	Neutral
Magnesium Aspartate Dibasic Anhydrous	Insoluble	14.2-15.7	Strong
Magnesium Ascorbate x-Hydrate	Insoluble	6.1-6.6	Neutral, Slightly Tart

1. Generally arranged by descending solubility and increasing metal content.

2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.

3. CRC Handbook and Merck Index are the main sources of this information.

4. Taste profiles developed by Jost personnel and are subjective.

5. Jost's Magnesium Gluconate is typically a dihydrate.

6. Calculated based on dihydrate solubility.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ▪ Tel: +1 (314) 428-4300 ▪ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ▪ Tel: +32 85 23 17 11 ▪ Fax: +32 85 23 36 57

www.jostchemical.com

Manganese

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Manganese Sulfate Monohydrate	50	31.8-33.2	Mild
Manganese Gluconate Dihydrate	17	11.0-11.9	Mild
Manganese Lactate Dihydrate	10	20.0-20.8	Mild
Manganese Citrate Decahydrate	<1	22.0-23.9	Neutral
Manganese Ascorbate Dihydrate	Insoluble	12.5-14.0	Very Bitter

1. Generally arranged by descending solubility and increasing metal content.

2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.

3. CRC Handbook and Merck Index are the main sources of this information.

4. Taste profiles developed by Jost personnel and are subjective.



JOST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Potassium

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Potassium Citrate Dibasic	Very Soluble	29.1	Very Salty
Potassium Phosphate Dibasic	167	44.9	Mild Salty, Exothermic
Potassium Phosphate Monobasic	33-83.5 ⁹⁰	28.7	Very Salty, Metallic
Potassium Nitrate	13.3 ⁶ -247 ¹⁰⁰	38.7	Very Salty, Metallic
Potassium Sulfate	12	44.9	Very Salty, Metallic
Potassium Ascorbate	Soluble	18.3	Strong, Burnt

1. Generally arranged by descending solubility and increasing metal content.

2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.

3. CRC Handbook and Merck Index are the main sources of this information.

4. Taste profiles developed by Jost personnel and are subjective.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Sodium

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Sodium Phosphate Monobasic Monohydrate	59.9 ⁰ -427 ¹⁰⁰	16.7	Very Salty
Sodium Phosphate Dibasic Anhydrous	Very Soluble	32.4	Exothermic, Salty
Sodium Phosphate Dibasic Dihydrate	100 ⁵⁰ -117 ⁸⁰	29.8	Salty
Sodium Sulfate Anhydrous	42.5 ¹⁰⁰	32.4	Very Salty
Sodium Bisulfate Monohydrate	28.6-100 ¹⁰⁰	16.7	Hurts Tongue, Very Salty
Sodium Sulfate Decahydrate	11 ⁰ -92.7 ³⁰	14.3	Very Salty
Sodium Carbonate Monohydrate	33-52 ¹⁰⁰	37.1	Salty
Sodium Carbonate Anhydrous	7.1-45.5 ¹⁰⁰	43.4	Exothermic, Salty
Sodium Nitrate Anhydrous	92.1-180 ¹⁰⁰	27.0	Endothermic, Salty

1. Generally arranged by descending solubility and increasing metal content.
2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.
3. CRC Handbook and Merck Index are the main sources of this information.
4. Taste profiles developed by Jost personnel and are subjective.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Zinc

Salt ¹	Solubility % ^{2,3}	Metal Content %	Taste ⁴
Zinc Gluconate Hydrate ⁵	13	12.3-14.6	Mild, Faint Taste
Zinc Lactate Dihydrate	1.7-17 ¹⁰⁰	22.0-24.0	Mild, Faint Taste
Zinc Citrate Trihydrate	Slightly Soluble	30.9-31.5	Neutral
Zinc Citrate Dihydrate	Slightly Soluble	31.3-32.1	Neutral

1. Generally arranged by descending solubility and increasing metal content.

2. Solubility in percent. Superscript is temperature; if no superscript, 25°C.

3. CRC Handbook and Merck Index are the main sources of this information.

4. Taste profiles developed by Jost personnel and are subjective.

5. Jost's Zinc Gluconate is typically a dihydrate.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

Categories to Consider When Choosing Mineral Compounds

Animal Origin

Jost products are BSE/TSE free and no animal products come into our facility.

Bio-Availability

Not all mineral compounds are equally bio-available. Literature searches may be required.

Bulk Density

For processing reasons, the bulk density may dictate the choice of the compound.

cGMP

GMP manufacturing provides mandated assurance that the requisite systems and procedures are in place to document and ensure product integrity, quality, consistency, safety, and traceability from raw material receipt to finished product distribution.

Color

Color can reflect product quality and stability.

Effectiveness

Citrates, Gluconates, Lactates, Ascorbates, Fumarates and Malates are commonly recognized as preferred mineral sources for nutritional supplements.

GMO-Origin

For political and health reasons, concern for GMO has limited the use of certain raw materials.

Heavy Metal Content

Limitation of heavy metals is key. The industry trend is a 1- 5 ppm maximum for Hg, Pb, Cd, and As. Limitations of less than 5 ppm maximum are also often required for Al, Mn, and Cr.

Interaction with Other Molecules

Some salts can be strong oxidizing agents and will therefore interact with other molecules in premixes or in solutions. For instance, iron is very reactive with Vitamin C.

Kosher or HALAL Certification

Market globalization has pushed international standards to comply with the various cultural obligations.

Mineral Content

Mineral content is provided as a % range and is described according to hydration level. When formulating it is important to know a compound's "as-is" mineral content. Some mineral compounds are simply blends and not fully reacted thus inhibiting their stability in formulations. Jost only manufactures fully reacted mineral salts.

Monographs

The USP, EP and FCC monographs establish agreed upon specifications and test methods for products. Some suppliers use the term "Purified" to describe products when no monograph is available. Jost defines "Purified" as meeting specifications that are equivalent to USP, had there been a monograph.

Nutritional Claims

Many claims in the nutritional supplement literature are not supported by either clinical or scientific studies.

Odor

Odor may reflect the raw material quality and can impact the final product acceptance level.

Particle Size

Particle size is a major consideration in solid dosage process controls, taste, formulation stability of slurry, and solubility concerns. If a salt is insoluble an ultrafine particle size can help keep the salt suspended in liquid.

Particle Size Consistency

A consistent particle size allows for repeatability of manufacturing.

pH

pH range is a major consideration for stability of the end product, taste and process considerations.

Price and Production Costs

Mineral content per price can be a clear factor in the choice of product.

Residual Solvents

For Pharma applications, the amount of some residual solvents are highly regulated.

Shelf Life/Retest Date

Jost ensures our products are stable up to a specified retest date when the product is stored in the original, unopened container under normal warehouse conditions.

Solubility

Solubility plays a key role, especially for powders being mixed into a liquid.

Taste

Citrates, Gluconates, Lactates and Malates generally have a neutral or mild taste.

Tolerance

Many Sulfates, Chlorides or Fumarates are not easily tolerated by the body as they can impact the gastric pH.

USP, FCC, EP, ACS, Custom

The application of the product will determine which grade will be preferred.



JUST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Perwez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com

It's in the details.



JOST CHEMICAL CO.

U.S.A. 8150 Lackland Rd. St. Louis, MO 63114 (USA) ■ Tel: +1 (314) 428-4300 ■ Fax: +1 (314) 428-4366

Europe Rue de Pervez, 108A B-5300 ANDENNE (Belgium) ■ Tel: +32 85 23 17 11 ■ Fax: +32 85 23 36 57

www.jostchemical.com